

Chorus Local Aggregation Path Utilization Report

Month 3 of Year 2018			
Peak Utilisation band (downstream traffic)	LAP other than Ethernet fibre-based LAP	Ethernet fibre-based LAP	Total
0-25%	249	6,521	6,770
25-35%	6	819	825
35-45%	9	390	399
45-55%	7	181	188
55-65%	8	70	78
65-75%	8	14	22
75-80%	1	4	5
80-85%	1	-	1
85-90%	5	-	5
90-95%	5	-	5
95-100%	323	-	323

8,621

Month 3 of Year 2018			
Peak Utilisation band (upstream traffic)	LAP other than Ethernet fibre-based LAP	Ethernet fibre-based LAP	Total
0-25%	355	7,999	8,354
25-35%	98	-	98
35-45%	75	-	75
45-55%	45	-	45
55-65%	23	-	23
65-75%	10	-	10
75-80%	5	-	5
80-85%	2	-	2
85-90%	1	-	1
90-95%	-	-	-
95-100%	8	-	8

8,621

Remediation Plans

There are no ports registering over the 80% threshold in the downstream report.

Chorus has under way a major project to remove most DSLAM rings from the access network, this project is expected to last through till 2018. This project will remove the concentration of traffic that occurs on the first port of the ring.