# **UCLL & UCLF Backhaul Performance Report**

### **Consolidated Report**

**July 2012** 

Unbundled Copper Local Loop (UCLL) and Unbundled Copper Low Frequency Service (UCLF) Backhaul Performance Reports are prepared each month to provide a comprehensive view of our performance over the preceding month. These reports measure our performance against service levels defined in the UCLL Backhaul Standard Term Determinations.

### **Executive summary**

There was one Service Level Default this month: SL 16 (Availability of OFM), a Service Level Default Report for this Service Level can be found in the appendix of this report

#### Points to note

There were no orders excluded from Service Level calculations.


Defaults that occur at the Access Seeker level but not at the consolidated level are reported to the relevant Access Seeker, in their individual performance report.

#### **Further Information**


If you have queries, please email your Chorus Account Manager.




### SL 1 - Orders acknowledged within four business hours of order receipt - All Orders




### SL 2 - Invalid order rejection notifications sent within eight business hours of receipt - All Orders




# SL 3 - Notification of expected RFS dates sent within seven working days of deemed acceptance time – All Orders, except Speed Change orders not a requiring Truck Roll



### SL 4 - Notification of expected RFS dates sent within three working days of deemed acceptance time - Speed Change (no Truck Roll) Order



### SL 5 - Order is completed right first time (level A) - for each service type



	Aug 11	Sep 11	Oct 11	Nov 11	Dec 11	Jan 12	Feb 12	Mar 12	Apr 12	May 12	Jun 12	Jul 12
New Connection	100%	n/a										
Network Change	n/a											
Speed Change	n/a											
Relinquishment	n/a	n/a	n/a	100%	n/a	100%	n/a	100%	n/a	n/a	100%	n/a
Handover Fibre	n/a											
Backhaul Connection	100%	n/a										
OLA Perference	1000/	-1-	-1-	4000/	-1-	4000/	1	4000/	1	1	4000/	-1-
SLA Performance	100%	n/a	n/a	100%	n/a	100%	n/a	100%	n/a	n/a	100%	n/a
Tolerance Level	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%



Commentary

No orders were completed this

This section covers Backhaul provisioning service, including ordering, notifications, and outages.


### SL 6 - Order is completed by the notified expected RFS date (level A) - for each service type, excluding Relinquishment Orders




	Aug 11	Sep 11	Oct 11	Nov 11	Dec 11	Jan 12	Feb 12	Mar 12	Apr 12	May 12	Jun 12	Jul 12
New Connection	0%	n/a										
Network Change	n/a											
Speed Change	n/a											
Relinquishment	n/a											
Handover Fibre	n/a											
Backhaul Connection	0%	n/a										
SLA Performance	0%	n/a										
Tolerance Level	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%




### SL 7 - Order is completed by the notified expected RFS date - Relinquishment Orders




### SL 8 - Notification of RFS date changes provided within three working days of change request receipt - All Orders




### SL 9 - Completion confirmation sent within four business hours after order completion - All Orders



### SL 10 - Planned outage notifications advised at least five working days before outage occurring



### SL 11 - Unplanned outage notifications advised within two hours of Chorus discovering or receiving outage notice (24x7 basis)



## **Fault Management**

This section covers fault receipt acknowledgement, notification, restoration


### SL 12 - Fault report receipt acknowledgements provided within half a fault restoration hour of fault report



## **Fault Management**

This section covers fault receipt acknowledgement, notification, restoration


# SL 13 - Expected fault restoration time notifications sent within four fault restoration hours of fault report or eight fault restoration hours where the fault relates to the technical service specifications



## **Fault Management**

This section covers fault receipt acknowledgement, notification, restoration

### SL 14 - Faults restored within notified expected restoration time (level A)




This section covers operational support systems for access seekers

### SL 15 - Online Ordering & Tracking availability (24/7)



This section covers operational support systems for access seekers

### SL 16 - Online Fault Management availability (24/7)





Performance has not met the required tolerance level. See the SL16 Service Default Report for more information



Note: Chorus has summarised the relevant Service Levels for the purpose of this report. For the full description of each relevant Service Level refer to Appendices 1 and 2 of the UCLL Backhaul Service Level Terms (UCLL Standard Terms Determination Schedule 3) which is available on the Commerce Commission's website at www.comcom.govt.nz

#### **Provision of Backhaul Service**

- SL 1 Percentage of Backhaul orders acknowledged within 4 business hours following receipt of the order
- SL 2 Percentage of rejection notifications for invalid Backhaul orders sent to the Access Seeker within 8 business hours following receipt time
- SL 3 Percentage of notification of expected RFS dates sent to the Access Seeker within 7 working days of the Deemed Acceptance Time
- SL 4 Percentage of notification of expected RFS dates sent to the Access Seeker within 3 working days of the Deemed Acceptance Time (Speed Change no Truck Roll)
- SL 5 Percentage of Backhaul orders that experienced no Faults in work carried out to provision an order within 5 working days following confirmation by Chorus of completion of the order (Level A)
- SL 6 Percentage of Backhaul orders completed by the notified expected RFS date
- SL 7 Percentage of Backhaul Relinguishment orders completed by the notified expected RFS date
- SL 8 Percentage of notification of RFS date changes received within 3 working days following receipt of the requests to change an existing order
- SL 9 Percentage of confirmation of completions sent to the as within 4 business hours after the Backhaul order has been completed
- SL 10 Percentage of Planned Outage notifications advised to the Access Seeker at least 5 working days prior to the Planned Outage taking place
- SL 11 Percentage of Unplanned Outage notifications advised to the Access Seeker within 2 hours on a 24x7 basis of Chorus discovering or receiving notification of the Unplanned Outage

#### **Fault Management for Backhaul Service**

- SL 12 Percentage of unplanned outage notifications advised to the access seeker within 2 hours on a 24x7 basis of telecom discovering or receiving notification of the unplanned outage
- SL 13 Percentage of notifications advising the expected fault restoration time sent to the Access Seeker within 4 fault restoration hours of the fault being reported for Non technical Specification Faults & Percentage of notifications advising the expected fault restoration time sent to the Access Seeker within 8 fault restoration hours of the fault being reported for Technical Specification Faults
- SL 14 Percentage Of Faults restored within the notified expected restoration time

#### **Operational Support Systems for Backhaul Service**

- SL 15 Percentage of OO&T availability to the Access Seeker
- SL 16 Percentage of OFM availability to the Access Seeker



Item No.	Tolerance Level 99.8%					
Service Attribute	Availability of OFM					
Cause of default	There were two incidents in July which resulted in delays in processing faults due to degradation of Assure component systems.					
Procedure for correcting default	Assure System Availability and functionality was restored following each outage.					
Steps taken to remedy default	The relevant steps were taken to restore service including restart of servers and applications.					
Effectiveness of steps taken	Effective					
Date of previous default	February 2012, March 2012, April 2012, June 2012, July 2012					

